

Project Name _____

Parcel Number(s) _____

Business Address _____

Existing Zoning _____

Please state proposed use type and/or check use below.

Liquor Use Category: (as defined in HMC Title 19 and Title 4) _____

I. Tavern, nonprofit club, billiard hall or liquor store

II. Restaurant with bar; restaurant (service bar only); recreation club; convenience market; package liquor retail outlet (i.e., supermarket, grocery store, pharmacy); beer, wine, and spirit-based products on- or off-sale; full on-sale; full off-sale; wine lounge or winery

Massage Reflexology Smoke/Tobacco Shop Check Cashing/Deferred Deposit/Vehicle Title/High Interest Loans

Day Care Center/ Group Child Care Sexually Oriented Business Teenage Dancehalls and Nightclubs

Other _____

The subject analysis is valid for 60 days.

If a use is approved prior to submittal of applications for the proposed liquor use which would encroach into the required separation distances, the conditional use permit application will require waivers from the distance separation requirements of Title 19.

CONTACT INFORMATION

Company/Firm Name _____

Contact Name _____

Address _____

City _____ State _____ ZIP _____ Phone (____) _____

Email (required) _____

Distance Separation Analysis results will be available within 2-5 working days.

Signature of Applicant

Date

Print Name

FOR OFFICE USE ONLY

CVTD#	
Accepted By	
Date	

SUBMITTAL PROCESS

Please email the completed application and required information to: planner@cityofhenderson.com

- All files need to be legible and submitted in a PDF format. All PDF's must be fully compressed and flattened.
- We can accept up to 25 MB per email.
- If your files are larger than that, email us and we can send you a link to the City's FTP site to upload the files for submittal.

CHECKLIST

The application cannot be accepted until the filing requirements below have been met.

- Copy of most recent assessor's parcel map. Click [here](#).
- Detailed site plan with proposed use designated
- Use Permit Number, if applicable