AHECITYO	
A Place To Call Home	

## Subdivision, Multi-Family and Commercial GRADING PERMIT e-Plan Submittal Checklist

**NOTE:** Grading checklists are included in the Civil Improvement Plan Checklist. This checklist is only to be used if allowed to submit subdivision, multi-family and commercial application for grading permit when civil improvement plans are not required.

**NOTE:** For custom home grading applications see Custom Home Checklist

	12/31/2020 V8	
City of Henderson Development Services Center	This checklist is provided for the convenience of our customers. Complete and accurate plan submittals help speed the plan review process. Attention to the completeness and accuracy of information at the beginning of the process generally leads to fewer delays and	
240 Water Street PO Box 95050 Henderson, Nevada 89009-5050 (702) 267-3600 phone (702) 267-3601 fax	requests for revisions by City staff. Please use the checklist to ensure that your application includes all of the information necessary for a timely review of your plans.	
Part. 1 Applicant's Responsibility	<b>Applicants are responsible for submitting complete applications</b> . Incomplete applications will result in plans being rejected for acceptance or returned to the applicant during the review process. City service commitments will not apply to incomplete submittals.	
Part. 2 Prerequisites	The following must be completed before a grading permit application can be accepted for processing:	
	<b>Associated Civil Improvement Plans</b> Associated civil improvement plans for this site must be submitted concurrently with the grading permit application.	
	An approved Design Review, Planned Unit Development or Tentative Map [if applicable]	
	<b>Technical Drainage Study**</b> **Approval required if located in FEMA Flood Zone A or if required by Public Works. Contact New Development Division at (702) 267-3680 for more information.	
	Approved Dust Control Permit	
Part. 3		
Applicable Codes	Project must meet the requirements of the City's adopted codes, ordinances, and regulations:	
	2018 International Building Code, with Southern Nevada Building Code Amendments Development Code, of the Henderson Municipal Code [Titles 13 & 19]	
	Henderson Municipal Code 15.50 incorporating Clark County Regional Flood Control District Uniform Regulations for Control of Drainage, Part II	
	Clark County Standard Specifications for Offsite Construction Clark County Regional Flood Control District Hydrologic Criteria & Drainage Design Manual	
Part. 4 Submittal Package	Grading permit application documents are included in the Civil Improvement Plan Checklist. Grading permit applications submitted without civil improvement plans (when approved) shall provide the following:	
	Completed Grading Permit application & Grading Permit Fee	
	<b>Complete set of grading plans [24" x 36"]</b> A complete set of grading plans shall include, as a minimum, a coversheet, notes sheets, grading plan, and all related detail sheets. Include any other sheets that include grading information. These must be digitally signed and sealed by the registered design professional.	

	<b>Copy of the approval letter and permit number from the ap</b>	proved drainage study
	□ Copy of geotechnical [soils] reports The reports must be digitally signed and sealed by the registered design the report. The date of the report must be within one year of the buildin updated letter is provided by the design professional who prepared the rep	g permit application date unless an
	Approved report on ground water mitigation measures [Wh	en required by Public Works]
	<b>Desert Conservation Form</b> (can be filled out at time of submittal)	
Part. 5 Plan Contents	Plans must contain the following minimum contents. It is not intendetail required. It does provide an overview of the basic plan contents.	
Grading Plan	See the State of Nevada 2014 Blue Book for more information.	
	General Information	
	<ul> <li> General vicinity of the proposed site.</li> <li> Property limits and accurate contours of existing round and details</li> </ul>	of terrain and area drainage.
	<b>Soils &amp; Engineering Report Information</b> <u>General Information:</u> Include the dates of reports together with the names, addresses, and individuals who prepared the reports.	I phone numbers of the firms or
	<u>Recommendations:</u> Report recommendations shall be incorporated into grading plans or sp	ecifications.
	<ul> <li>Elevations &amp; Contours</li> <li>Elevation datum and benchmark as established by the NAVD88.</li> <li>Elevation of curbs or centerline of roads or streets.</li> <li>Finish floor elevations.</li> <li>Existing contours at least 100 feet beyond the property lines.</li> <li>Proposed finish contours or spot elevations at the property corners</li> </ul>	s and at swale flow lines.
	<ul> <li>Positive Drainage &amp; Physical Obstructions</li> <li>Show positive drainage of a minimum 5% away from foundations f</li> <li>Alternately, if physical obstructions or lot lines prohibit 10 feet of shall be provided to an approved alternate method of diverting wa</li> <li>A 2% slope is permitted if the structure abuts hard surface (concree</li> <li>Limiting dimensions, elevations or finish contours to be achieved by drainage channels and related construction.</li> </ul>	horizontal distance, a 5% slope ater away from the foundation. ete, pavers, pavement, etc).
	Buildings & Structures & Features Proposed locations Site any buildings or structures on the property where the work is to b any buildings or structures on land of adjacent owners that are within may be affected by the proposed grading operation. Adjacency to slopes The placement of buildings and structures on and or adjacent to accordance with IBC 1805.3. Topographical Features Locate other existing topographical features either natural or man-r	n 50 feet of the property or that slopes steeper than 3H:1V in
	structures, pavements, fence walls, etc. Earthwork, Cut & Fill	. 5
	<ul> <li>List quantities in cubic yards and scope of work.</li> <li>Designate a disposal area for any excess excavation.</li> <li>Provide the cut to fill transition line.</li> <li>Setback dimensions of cut and fill slopes from site boundaries.</li> </ul>	

Part. 5 Plan Contents	 Plans must contain the following minimum contents. It is not intended to be all inclusive of every detail required. It does provide an overview of the basic plan contents.
(continued)	See the State of Nevada 2014 Blue Book for more information.
	<b>Details &amp; Cross Sections</b> Details and cross sections at property lines, fence walls, retaining walls, berms, etc.
	Slopes
	Typical details of fill over natural slopes and fill over cut slopes where fill is to be placed on natural or cut slopes steeper than 5H:1V.
	Check for areas of existing terrain with a slope greater than 5:1. Ensure the grading plan incorporates the recommendations of the soils report and for placement of fill on slopes steeper than 5:1. Provide details and cross sections of typical fill slopes and cut slopes.
	Check for proposed slopes steeper than 2:1.
	Check slopes steeper than 3H:1V for terracing requirements.
	Provide the location and dimensions of all terrace drains for all slopes steeper than 3H:1V.
Geotechnical Report	
"Soils Report"	Show the location of test borings and/or excavations. The plot shall be dimensioned and show the location of all existing structures.
	A minimum number/depth of required explorations per 1802.4.2 Southern Nevada Building Code Amendment.
	A complete record of the soil samples.
	A record of the soil profile.
	Depth of the water table, if encountered.
	Recommendations for foundation type and design criteria, including but not limited to: Bearing capacity; Mitigation of the effects of expansive soil, liquefaction, differential settlement, varying soil strength, adjacent loads, collapsible soils, soluble soils, chemical heave, corrosive soils.
	Expected total and differential settlement.
	Pile and pier foundation information in accordance with IBC 1807.2.1.
	Special design and construction provisions for footings or foundations founded on expansive soils.
	Compacted fill properties and testing in accordance with Section 1803.4 Southern Nevada Building Code Amendment. Provide provisions to mitigate the effects of collapsible soils, soluble soils, uncontrolled fill, chemical heave, and corrosive soils.
	Soil classification by the Unified Soil Classification System. Backup data on test performed in the soil classification shall be included.
	Address the possible impacts on adjoining properties and mitigating measures to be undertaken.
	Suitability of onsite soils for use as fill material.
	Provide the grading requirements for onsite and import soils including, but not limited to, swell, solubility, and sulfates.
	Geotechnical design considerations for drainage structures.
	Trenching or other special procedures for determining fault and fissure locations.
	Faults per 1805.1.1 Southern Nevada Building Code Amendment.
	Procedures for mitigating geological hazards.
	Erosion control requirements, as applicable.
	Anticipated structural loads and type of proposed structure.
	Site class. Back-up data required if less than D is assumed. (IBC 1615.1.1)
	Post-tension slab design criteria per Southern Nevada Building Code Amendment Table 1805.8.
	Engineer's original seal, signature, and date on both soils report copies.
	Geotechnical report is current within the last year. Reports more than one year old must have an attached letter wet sealed, dated, and signed by the engineer of record attesting that the report is still valid and current for project.
	Ensure the soils report addresses the placement of fill on slopes steeper than 5:1.
	Provide a slope stability analysis for any proposed slopes steeper than 2:1.

Part. 6		
Other		
Information		
Documentation		Drainage Compliance Forms
		Storm Water Discharge "Notice of Intent" (NOI)
	_	"Notice of Intent" (NOI) for the Storm Water Discharge Permit issued by the Nevada Division of Environmental
		Protection.
		Notarized permission to grade on adjacent property [where required]
Inspections		Quality Assurance
	-	A third party inspection agreement must be in place and an approved Quality Assurance Agency must be
		registered on the grading permit prior to issuance.
Grading		Final site grading must conform to the finalized grading plans in the approved Civil Improvement
		5 5 1 11 1
Conformance		drawings.
with Civil		